



1 BS190B
190mm 350W 230V
Two Wheel Bandsaw

No-volt switch

Supplied with mitre gauge, rip fence, push stick and dust extraction outlet. Facilities include a table tilt from 0-45° allowing straight cross cutting, ripping, mitre and bevel cutting. Fitted with a cable and approved plug. Display carton. Specification:

Maximum cutting height	... 80mm
Throat depth	... 190mm
Cutting speed	... 14.7M/sec
Blade length	... 1425mm
Table size	... 300 x 300mm
Table tilt	... 0-45°
Weight	... 17kg

Stock No.	Box Qty	Price each
09681	-	€178.61P



Bandsaw Blades

For all Draper Bandsaws and other manufacturers similar machines. Display packed.

NEW LENGTHS!

Stock No.	Blade Width	Teeth	Blade Length	Draper Machine Usage	Application	Box Qty	Price each
14253	1/4"	6 skip	1400mm	Model BS200A Stock No. 13773	Wood/Plastic	-	€16.37D
14254	3/8"	6 skip	1400mm		Wood/Plastic	-	€16.37D
14255	1/4"	24tpi	1400mm		Metal	-	€16.37D
14259	1/2"	6 skip	1400mm		Wood/Plastic	-	€16.37D
25760	1/4"	6 skip	1425mm	Model BS190B Stock No. 09681	Wood/plastic	-	€17.02D
25761	3/8"	6 skip	1425mm		Wood/plastic	-	€18.72D
25762	1/2"	6 skip	1425mm		Wood/plastic	-	€18.72D
25764	1/4"	24tpi	1425mm		Metal	-	€17.02D
25765	1/2"	14tpi	1425mm	N/a	Wood/metal	-	€18.72D
32054	1/4"	6 skip	1505mm		Wood/plastic	-	€18.10D
32055	3/8"	6 skip	1505mm		Wood/plastic	-	€18.34D
32057	1/4"	24tpi	1505mm		Metal	-	€18.34D
32058	1/2"	14tpi	1505mm	Model MBS46A Stock No. 30736	General Purpose	-	€17.40D
28109	1/2"	14tpi	1638mm		General purpose	-	€20.47D
28110	1/2"	18tpi	1638mm		Fine cutting	-	€20.74D
28112	1/2"	24tpi	1638mm		Nonferrous metals	-	€20.74D
76728	1/4"	6 skip	1712mm	Model B250A Stock No. 76236	wood/plastic	-	€16.92D
76729	3/8"	6 skip	1712mm		wood/plastic	-	€17.06D
76730	1/2"	6 skip	1712mm		wood/plastic	-	€17.52D
76731	1/4"	24tpi	1712mm		Metal	-	€16.92D
76732	1/2"	14tpi	1712mm	N/a	General purpose	-	€17.52D
25766	1/4"	6 skip	1785mm		Wood/Plastic	-	€20.11D
25767	3/8"	6 skip	1785mm		Wood/Plastic	-	€20.50D
25768	1/2"	6 skip	1785mm		Wood/Plastic	-	€20.98D
63341	1/4"	6 skip	2235mm	Model BS315 Stock No. 76237	Wood/plastic	-	€24.12D
63343	3/8"	6 skip	2235mm		Wood/plastic	-	€24.89D
63344	1/2"	6 skip	2235mm		Wood/plastic	-	€25.68D
63345	1/4"	24tpi	2235mm		Metal	-	€24.12D
63342	1/2"	14tpi	2235mm	Model BS350C Stock No. 76238	Wood/metal	-	€25.68D
76738	1/4"	6 skip	2560mm		wood/plastic	-	€21.60D
76739	3/8"	6 skip	2560mm		wood/plastic	-	€22.15D
76740	1/2"	6 skip	2560mm		wood/plastic	-	€22.68D
76741	1/4"	24tpi	2560mm	Model BS350P Stock No. 13765	Metal	-	€21.60D
76742	1/2"	14tpi	2560mm		General purpose	-	€22.68D
14260	1/4"	6 skip	2750mm		Wood/Plastic	-	€22.94D
14262	3/8"	6 skip	2750mm		Wood/Plastic	-	€22.94D
14264	1/2"	6 skip	2750mm	Model BS400P Stock No. 13766	Wood/Plastic	-	€22.94D
14404	1/2"	24tpi	2750mm		Metal	-	€22.94D
14436	1/2"	14tpi	2750mm		General Purpose	-	€22.94D
14492	1/4"	6 skip	3345mm		Wood/Plastic	-	€25.18D
14504	3/8"	6 skip	3345mm	Model BS400P Stock No. 13766	Wood/Plastic	-	€25.18D
14505	1/2"	6 skip	3345mm		Wood/Plastic	-	€25.18D
14532	1/2"	24tpi	3345mm		Metal	-	€25.18D
14540	1/2"	14tpi	3345mm		General Purpose	-	€25.18D



2 BS200A
200mm 250W 230V
Two Wheel Bandsaw

No-volt switch

Supplied with mitre gauge, rip fence, push stick and dust extraction outlet. Facilities include a table tilt from 0-45° allowing angled cutting, ripping, mitre and bevel cutting. Fitted with a cable and approved plug. Display carton. Specification:

Maximum cutting height	... 80mm
Throat depth	... 200mm
Cutting speed	... 15M/sec
Blade length	... 1400mm
Table size	... 290 x 290mm
Table tilt	... 0-45°
Weight	... 17.5kg

Stock No.	Box Qty	Price each
13773	-	€172.99P

Important Box Qty info: For your convenience we recommend ordering in box quantity or multiples of box quantity where shown. You can still order in any quantity unless specifically stated otherwise.



1 BS250A
250mm 370W 230V
Two Wheel Bandsaw

No-volt switch

Designed for home and workshop use this bandsaw has an excellent performance and cutting capacity. The machine is supplied with mitre gauge, rip fence and dust extraction outlet. Facilities include a table tilt from 0-45° allowing straight cross cutting, ripping, mitre and bevel cutting. It can be either bench mounted or fitted to a stand (available separately). Fitted with a cable and approved plug. Display carton.

Specification:

Maximum cutting height	... 100mm
Throat depth	... 245mm
Cutting speed	... 730M/min
Blade length	... 1712mm
Table size	... 340 x 335mm
Table tilt	... 0-45°
Weight	... 32kg

Stock Part No.	No.	Description	Box Qty	Price each
76236	BS250A	Bandsaw	-	€259.73P
76251	ABS3	Saw Stand	-	€56.16D



2 BS315
315mm 740W 230V
Two Wheel Bandsaw

No-volt switch

Designed for workshop use this bandsaw has an excellent performance and cutting capacity. The machine is supplied with mitre gauge, rip fence and dust extraction outlet. Facilities include a table tilt from 0-45° allowing straight cross cutting, ripping, mitre and bevel cutting. It can be either bench mounted or fitted to a stand (available separately). Fitted with a cable and approved plug. Display carton.

Specification:

Maximum cutting height	... 160mm
Throat depth	... 305mm
Cutting speeds (2)	... 370 & 750M/min
Blade length	... 2235mm
Table size	... 400 x 480mm
Table tilt	... 0-45°
Weight	... 76kg

Stock Part No.	No.	Description	Box Qty	Price each
76237	BS315	Bandsaw	-	€478.80P
76252	ABS4	Saw Stand	-	€69.02D
76256	ABS7	Wheel Kit	-	€22.20D



3 BS350C
350mm 1100W 230V
Two Wheel Bandsaw

No-volt switch

Designed for workshop use this bandsaw has an excellent performance and cutting capacity. The machine is supplied with mitre gauge, rip fence and dust extraction outlet. Facilities include a table tilt from 0-45° allowing straight cross cutting, ripping, mitre and bevel cutting. It can be either bench mounted or fitted to a stand (available separately). Fitted with a cable and approved plug. Display carton.

Specification:

Maximum cutting height	... 225mm
Throat depth	... 340mm
Cutting speeds (2)	... 400 & 840M/min
Blade length	... 2560mm
Table size	... 548 x 400mm
Table tilt	... 0-45°
Weight	... 78kg

Stock Part No.	No.	Description	Box Qty	Price each
76238	BS350C	Bandsaw	-	€622.80P
76253	ABS5	Saw Stand	-	€183.74D

Bandsaw Stand available



Stock No. 76251

Bandsaw & Wheel Kit available



Stock Nos. 76252 (Stand)
76256 (Wheel Kit)

Bandsaw Stand available



Stock No. 76253

professional bandsaws

DAVE SAYS

These professional quality bandsaws offer the ultimate in performance. The machines can be used in workshops where a high level of accuracy and finishing is required. Spare blades for all Draper bandsaws and other manufacturers similar machines are shown on page 509.



QUALITY MAKES THE DIFFERENCE



NEW!

NEW!



1 BS350P
350mm 1500W Professional Two Wheel Bandsaw

No-volt switch

Designed for professional use this bandsaw has excellent performance and cutting capacity. The machine is supplied with mitre gauge, rip fence and dust extraction outlet. Facilities include a table tilt from 0-45° allowing straight cross cutting, ripping, mitre and bevel cutting. Supplied complete with stand. Fitted with a cable and approved plug. Carton packed.

Specification:

Maximum cutting height	... 225mm
Throat depth	... 355mm
Cutting speeds (2)	... 420/840M/min
Blade length	... 2750mm
Table size	... 535 x 435mm
Table tilt	... 0-45°
Weight	... 98.5kg

Stock No.	Box Qty	Price each
13765	-	€1229.83P



2 BS400P
400mm 2200W 230V Professional Two Wheel Bandsaw

No-volt switch

Designed for professional use this bandsaw has excellent performance and cutting capacity. The machine is supplied with mitre gauge, rip fence and dust extraction outlet. Facilities include a table tilt from 0-45° allowing straight cross cutting, ripping, mitre and bevel cutting. Fitted with a cable and approved plug. Carton packed.

Specification:

Maximum cutting height	... 250mm
Throat depth	... 400mm
Cutting speeds (2)	... 420/840M/min
Blade length	... 3345mm
Table size	... 560 x 450mm
Table tilt	... 0-45°
Weight	... 133kg

Stock No.	Box Qty	Price each
13766	-	€1600.63P

Draper Power Tools

As well as Stationary Power Tools, we have an extensive range of quality power tools that includes the following product groups...



Power Tool Accessories

Pages 542-576

HSS drills, saw blades, abrasives, extension leads - why not check them out?!

Welding Tools

Pages 577-593

ARC, MIG and TIG welding machines, helmets, shrouds, gases and much more!



Compressors & Air Tools

Pages 594-629



Oil-free, low noise, belt driven and direct drive compressors. Composite body and conventional air tools complemented by appropriate air line fittings.

Important Box Qty info: For your convenience we recommend ordering in box quantity or multiples of box quantity where shown. You can still order in any quantity unless specifically stated otherwise.

1 MBS46A

350W 230V Horizontal/Vertical Metal Cutting Bandsaw

No-volt switch

A versatile three-speed machine offering horizontal and vertical cutting capabilities. Designed for use in the maintenance workshop. The 350W motor gives smooth and accurate saw blade transmission through the adjustable ball bearing guides. Supplied with transport wheels, tool shelf, plastic blade guards and BS safety regulation guard. Push button on/off switch, cable and approved plug. Carton packed.


Specification:

Cutting capacity ... 114mm round
 ... 100 x 150mm rectangular

Motor type ... induction
 Blade length ... 1638mm
 Vertical table size ... 254 x 250mm
 Height to bed ... 610mm
 Height to table ... 860mm
 Speeds (fpm) ... 3 (65, 95, 165)
 Weight ... 61kg

Stock No.	Box Qty	Price each
30736	-	€452.40P

HORIZONTAL AND VERTICAL CUTTING



2 FS16S

400mm 85W 230V Fretsaw

No-volt switch

Steel base and table with parallel action arm design which allows quick and accurate cuts. The dust blower keeps the cutting line clear and a dust extraction facility removes unwanted dust when connected to a dust extractor. The worktable tilts from 0-45°. Uses 127mm pin end fretsaw blades. Fitted with cable and approved plug. Display carton.

Specification:

Maximum thickness of cut at 90° ... 50mm
 Maximum thickness of cut at 45° ... 20mm
 Throat depth ... 400mm
 Blade length ... 127mm
 Cuts per minute ... 1400
 Stroke ... 15mm
 Table size ... 410 x 253mm
 Table tilt ... 0-45°
 Base dimensions ... 400 x 216mm
 Weight ... 22kg

Stock No.	Box Qty	Price each
89334	-	€121.78P



3 FS450V

405mm 90W 230V Variable Speed Fretsaw with Flexible Drive Shaft and Worklight

No-volt switch

Aluminium table with parallel action arm design which allows quick and accurate cuts. Incorporates a worklight and flexible shaft suitable for use with Draper Multi-Tool accessories. The dust blower keeps the cutting line clear and a dust extraction facility removes unwanted dust when connected to a dust extractor. The worktable tilts from 0-45°. Uses 127mm pin and pinless fretsaw blades. Fitted with cable and approved plug. Display carton.

Specification:

Maximum thickness of cut at 90° ... 50mm
 Maximum thickness of cut at 45° ... 20mm
 Throat depth ... 405mm
 Blade length ... 127mm
 Stroke speed ... 550-1600p/min

Stroke ... 20mm
 Flexible shaft speed ... 3000-10,000r/min
 Table size ... 415 x 255mm
 Table tilt ... 0-45°
 Base dimensions ... 400 x 216mm
 Weight ... 14.6kg

Stock No.	Box Qty	Price each
22791	-	€188.57P



FLEXIBLE DRIVE SHAFT ACCESSORIES

Accessories for use with the Flexible Drive Shaft on Fretsaw Stock No. 22791 (Item No. 3) are shown on page 573.

